

INDEX

- Abrasion–ablation, 781
- Absorption, nucleon, 17, 178, 361
 - pion, 830
- Adiabatic approximation, 77, 414, 419
 - limit to TDHF, 662
- Analog state, *see also* Doorway states
 - isobar, 397, 460, 849
 - $SU(3)$, 64
- Analyzing power, 482, 747
- Angular distribution
 - in elastic scattering, 357
 - in evaporation region, 27
 - in heavy ion reactions, 579
 - maximum complexity, 65, 233
 - in reactions, 231
 - for statistical theory, 300
 - symmetry about 90° , 34, 235
- Angular momentum barriers, 41
 - dependent potentials, 355
 - distribution, 27, 270, 274
 - limiting, 573
 - window, 481, 604, 676
- Annihilation, 19
- Anomalous dispersion, 151
- Antisymmetrization
 - in heavy ion reactions, 613
 - and projection operators, 195
 - and Schrödinger equation, 206
 - in transfer reactions, 466
- Argand diagram, 873
- Asymmetric rigid rotator, 519
- Atoms, kaonic and pionic, 17
- Autocorrelation, 252
- Average cross sections, 337
 - S -matrix, 186
- Averaging, 175
 - Box, 176
 - Lorentzian, 176
- Axial vector current, 62

- Barriers, 41, 244
- Baryons, 861
 - baryon number, 6
- BBGKY hierarchy, 648
- Bessel functions, 915
- Bethe–Goldstone equation, 95, 377
- Blair’s phase rule, 412
- Bloch, Mahaux, Weidenmüller reaction theory, 226
- Bohr independence hypothesis, 24, 29, 305
- Born approximation, 47
- Bose statistics, 65
- Boundary condition model, 226
- Box average, 176

Note: Italicized numbers indicate more detailed discussion of the subject.

- Breit kinematics, 129, 743
- Breit–Wigner formula, 164, 618
- Brink kinematic conditions, 603
- Bruceckner–Hartree–Fock approximations, 343, 443
- Capture, radiative, 19
- $^{12}\text{C} + ^{12}\text{C}$ level density, 624
 - resonances, 241, 613, 628
 - and superdeformation, 627
- $^{12}\text{C} + ^{16}\text{O}$ resonances, 613
- Cascading, 795
- Center-of-mass correlation, 121
- Center-of-mass frame, 8
- Central collisions, 767, 781
- Central limit theorem, 251
- Chaining, 526
- Channel coupling, 232, 511
- Channels, closed and open, 157
- Charge exchange reactions, 396
 - double pion induced DCX, 16, 804
 - kaon induced, 869
 - single pion induced SCX, 16, 804
- Classical differential cross section, 561
- Closest approach, 561
- Cluster transfer, 571, 607
- Clutching model, 667
- Coherence energy, 256
- Complexity, 524
 - theorem, 65, 233
- Compound elastic scattering, 313, 320
- Compound nucleus, 6, 45
 - reactions, 24, 338, 579
 - resonance, 23, 38, 164, 618
- Configuration mixing, 722
- Conservation
 - baryon number, 6
 - charge, 6
 - current, 345
 - hypercharge, 7, 861
 - isospin, 7
 - lepton number, 7
 - nucleons, 6
 - in TDHF, 660
- Continued fraction, 835
- Continuity, equation of, 651
- Correlations, 6, 81
 - center-of-mass, 121
 - in fluctuation cross section, 252
 - for inelastic scattering, 433
 - in nucleon-nucleus scattering, 145
 - pair, 71, 76
 - Pauli, 122
 - third order, 73
- two proton, 783
- Coulomb barrier, 41
 - excitation, 49, 555
 - parameter, 41, 243, 561, 595
- Coulomb scattering, classical, 560
 - cross section, 690
 - electrons, 688
 - polarization, 690
 - $m/E \rightarrow 0$, 691
- Coulomb wave function, for electrons, 689
 - eikonal, 692
 - non-relativistic, 914
 - partial wave expansion, 914
- Coupled channels, 509
 - applications, 517, 759
 - Born approximation (CCBA), 34, 522
- CP violation, 862
- Cross section, 907, 917
- Cusps, 245
- Deep inelastic collision, 22, 566, 588
 - diffusion theory, 633
 - orbiting, 593
 - strong focusing, 591
- Deflection angle, 565
- Deformation, 575
- Deformed nucleus, scattering by, 417, 518, 706
- Density, 67, 69, 377
 - charge density, 700, 704, 713
 - neutron density, 745, 887
- Density matrix, 199, 377
 - eigenvalues of, 201
 - in second quantization, 222
- Density of particle-hole states, 542
- Depolarization, 301, 920
- Deuteron-nucleus interaction
 - adiabatic approximation, 496
 - coupled equations, 497
 - optical model, 488
 - three-body model, 494
 - Watanabe potential, 496
- Differential cross section, classical, 561
- Diffraction, 109
 - Fraunhofer, 562
 - Fresnel, 562
 - in inelastic scattering, 414
- Diffusion theory for heavy ion collision, 633
 - cross section, 639
 - Fokker–Planck equation, 637
 - mass asymmetry, 641
- Dirac equation, 388, 685, 751
- Direct reactions, 22, 67. *See also* Distorted wave approximation

- effect on statistical theory of reactions, 314
- and specificity, 40
- Dispersion relationship, 160, 910
 - correction, 688
 - in infinite nuclear matter, 349
- Distorted wave approximation (DWA), 23
 - exchange effects, 429
 - and heavy ion reactions, 613
 - higher order, 509
 - and inelastic scattering, 422, 758
 - strong absorption limit, 427
 - for transfer reactions, 463
- Distribution function, 644
 - Liouville's theorem, 646
- Doorway states, 179
 - effect of direct coupling, 187
 - effect on fine structure, 192
 - exit, 190
 - in heavy ion resonances, 619
 - in hypernuclei, 899
 - hypothesis, 180
 - in nucleon-nucleus scattering, 365
 - in pion induced reactions, 58, 833
 - strong assumption, 184
 - Δ -hole state, 803
- Double charge exchange (DCX), 852
 - sequential, 857
- (d, p) reaction, 458. *See also* Transfer reactions
 - polarization and analyzing power, 483
- Dynamic deformation model, 519
- Edge effect in averaging, 177
 - $(e, e'N)$, 734
- Effective range, 477, 912
 - volume for s -wave, 913
- Eigenvalues of the density matrix, 201
 - of the reactance matrix, 170
- Eikonal, *see* Semi-classical approximation
- Elastic scattering, 11, 333
 - adiabatic approximation, 78
 - amplitude, 75, 79
 - angular distribution, 358
 - energy average, 172
 - phase shift analysis, 357, 913
 - polarization, 359
 - spin rotation, 360
- Electric dipole resonance, 3. *See also* Doorway states
- Electron excitation, 46
- Electron scattering, 684
 - Coulomb, 688
 - current induced, 714, 708
 - by deformed nuclei, 706
 - effect of finite nuclear size, 690
 - magnetic elastic, 720
 - by ^{206}Pb and ^{205}Tl , 704
 - quasi-elastic, 724
 - by spin-0 nuclei, 685
- Elongation, 575
- EMC effect, 739, 885
- Endoergic, 10
- Energy average
 - box, Lorentzian, 176
 - edge effect, 177
 - and optical model, 174, 184
- Energy-dependent potential, 99, 340
- Energy resolution, 2
- Energy transfer, 11, 684
- Equilibrium, 27
- Ericson fluctuations, 250, 298, 614
- Escape width, 38, 182
- Evaporation, 27
 - angular distribution, 301
 - energy spectrum, 325
- Exchange current and charge, 680, 719
- Exchange effects in the DWA, 429
- Exchange folding potential, 378
- Exchange scattering, 197
- Exclusive cross-section, 734
- Exit doorways, 190
- Extra push, 575
- Fermi β -ray matrix element, 62
 - gas model, 13
 - for optical model potential, 351
 - momentum, 13
 - motion, 124
- Fine structure
 - effect of doorway states, 191
 - effect of single particle resonance, 192
- Finite range deviations, 257
- Finite size effects in (t, p) reactions, 607
- Fission, 575
 - fast, 572
- Fluctuations, 23, 250, 303, 337
 - autocorrelations in, 252
 - Ericson, 250
 - in level density, 269
 - probability distribution, 251
- Fokker-Planck diffusion equation, 637
- Folding potential, 86, 375
 - direct and exchange, 378
- Formalism invariance, 209
- Form factor, 48, 102, 695
 - elastic, 48
 - inelastic, 102
 - nucleon, 695

- Fragmentation, 21, 767
 limiting, 798
 momentum distribution, 771
- Frame center-of-mass, 8
 laboratory, 7
- Fraunhofer diffraction, 562
- Fresnel diffraction, 562
- Friction model, 597
- Frozen nucleus, 76, 92
- Fusion, 568, 570
 incomplete, 571
 sub-barrier, 587
- Gamow solutions, 220
- Gamow–Teller β -ray matrix element, 62
- Gauge invariance, 719
- Gaussian orthogonal ensemble, 287
- Geramb–Bauhoff interaction, 447
- Giant resonances, 179. *See also* Doorway states
- Glauber approximation, 111, 759
- G -matrix, 443
- Grazing, 561, 624
- Hauser–Feshbach theory, 309, 319, 579, 616
- Heat flux, 652
- Heavy ions, 55, 554
 and level density, 624
 relativistic, 767
 resonances, 613
 super deformation, 627
 ultra-relativistic, 787
- Heavy particle stripping, 431
- Helicity coupling scheme, 232
- Hypercharge, 7, 860. *See also* strangeness exchange, 16, 805
- Hypernucleus, 16, 59
 Λ , 805, 893
 Σ , 805, 904
 ${}_{\Lambda}^{13}\text{C}$, 901,
 magic momentum, 895
 single particle states, 904
 weak coupling, 904
- Hyperons, 861
- Impact parameter, 107, 409, 561
- Inclusive cross-section, 14
- Incomplete fusion, 571
- Independent particle model, level density, 263
- Inelastic scattering, 12, 407, 756
 adiabatic approximation, 419
 Blair phase-rule, 412, 417
 by deformed nuclei, 418
 diffractive, 414
 DWA, 422
 eikonal approximation, 409
 exchange effects, 429
 interaction potentials, 436
 multiple scattering, 80
 pion-nucleus, 840
 surface reaction, 408
 vibrational nuclei, 417
- Infinite nuclear matter, 343, 346, 444
- Interacting Boson model, 519
- Interaction potentials, 436
 G -matrix method, 443
 $M3Y$, 436
 multipole series, 513
 and saturation, 437
- Interaction time, 22, 36, 256, 507, 596
 intermediate, 31
 and kinetic energy loss, 602
 and number of stages, 636
- Interference between resonance and prompt amplitude, 235
- Intermediate energy reactions
 $E < 100$ MeV, 371
 100 MeV $< E < 200$ MeV, 381
 > 200 MeV, 382
- Intermediate interaction time, 31
- Intermediate structure, 36, 179. *See also* Doorway states
- Internuclear cascade, 781
 angular distribution, 783
 correlations, 783
- Intruder states, 283
- Isobar analog resonances, 397, 460, 852
- Isospin
 conservation, 7
 distribution, 276
 extension of the optical model, 397
 projection operators, 805
 symmetry, 63, 64, 806
- Kaon, 859
 CP symmetry, 862
 K_L , 864
 K_S , 865
 regeneration, 864
 weak decay, 863
- Kaon-nucleon interaction, 865
 charge exchange, 869
 \mathcal{K} -matrix analysis, 877
 KN , 866, 868
 $\bar{K}N$, 877
 K^+p angular distribution, 872
 scattering length, 872

- Kaon-nucleus interaction
 inelastic scattering, 887
 K^+ -nucleus scattering, 884
 K^- -nucleus scattering, 889
 “magic momentum”, 895
 optical potential, 885
- Kapur and Peierls theory of reactions, 213
- Kawai, Kerman, and McVoy theory, 250, 299, 316
- Kinematic conditions, Brink, 603
- Kinematics, 6
 relativistic, 125
- Kisslinger potential, 822
- KMT method for multiple scattering, 90, 740
- Knock on, 431
- Lanczos method, 834
- Lane optical model, 399
- Level density, 25, 260
 angular momentum distribution, 27, 270, 280
 for $^{12}\text{C} + ^{12}\text{C}$ system, 624
 effect of residual interaction, 279
 fluctuations, 269
 for independent particle model, 263
 isospin distribution, 276
 odd-even effect, 279
 of particle-hole states, 542
 for rotational nuclei, 275
- Liouville's theorem, 646
- Lippman-Schwinger equation, 906
- Local density approximation, 383, 390, 451
- Longitudinal cross section, 727
- Lorentz, Boltzmann equation, 648
- Lorentz, Boltzmann, Uhlenbeck, and Uehling method (LBUU), 644
 applications, 655
- Lorentzian average, 176
- Lorentz transformation, 787
- Lorenz-Lorentz effect, 823
- Low-energy scattering, 360
- Magnetic elastic electron scattering, 720
 by ^{25}Mg , 722
 by ^{17}O , 721
- Magnetic moment, Coulomb interaction, 695, 744
- Magnetization current, 718
- Mahaux and Weidenmüller theory of reactions, 226
- Many-body forces, 283
- Mass asymmetry, 641
- Mass, effective, 13, 343
- $M3Y$ interaction potential, 438
- Mean free path, 86
- Microscopic theory of reactions, 221
- Mixing, external, 402
- Model independence, 697
- Momentum-dependent potential, 340
 matching, 482
 tensor, 785
- Momentum transfer, 11
 longitudinal, 774
 transverse, 775
 zero, 59
- Mott cross section, 688
- Multichannel optical model, 333, 509
- Multiple scattering, 74
 elastic scattering, 84, 96
 formal theory, 90
 inelastic scattering, 102
 kinematics, 125
 spin-dependence, 100
- Multiplicity, γ -ray, 577
 in proton-proton collisions, 792
- Multipole excitations, 709
- Multipole series for interaction potential, 513
- Multistep compound reactions, 506, 534
 applications, 548
 chaining, 526
 cross section, 539
 and heavy ions, 570, 657
 isospin conservation, 63
 random phase approximation, 527
- Multistep direct reactions, 29, 505, 509, 528
 applications, 544
 cross section, 533
 and heavy ions, 55, 570, 657
- Neutron density, 141, 745
 form factor, 697
 resonance, 240
- Nonlocal potentials, 99, 339, 353
- Nonorthogonality, 346
 in transfer reactions, 471
- Nuclear reactions
 angular distribution, 231
 complexity, 233
 elastic, 333
 formal theory, 149
 inelastic, 407
 multistep, 505
 parity conservation, 233
 statistical theory, 297
 transfer, 455
- Nucleon-nucleon transition matrix, 743
- Optical model
 angular momentum-dependent, 355
 derivation, 172

- Optical model (*Continued*)
 deuteron-nucleus, 488
 energy-dependence, 99, 340
 folding model, 86, 375
 imaginary part, 350, 353
 isospin extension, 397
 momentum dependence, 340
 multichannel, 333
 multiple scattering, 84, 96
 nucleon-nucleus, 333
 Perey–Buck, 372
 pion-nucleus, 825, 851
 relativistic, 387
 single-channel, 336
 surface absorption, 365
 Woods–Saxon, 356
- Optical theorem, 337, 909
- Optics, physical, 56
- Optimal approximation, 142
- Orthogonality, 429, 465
- Over completeness, 198
- Overlap, 188, 466, 482
- Overlapping resonances, 164, 211, 248
- Pair correlation, 71, 76
- Pair production in heavy ion collisions, 558
- Parity conservation, 233
- Particle-hole states, density of, 542
 excitations, 444
- Particle transfer, 17. *See also* Transfer reactions
- Partition sum, 261
- Pauli principle, 117, 195, 737
 correlations, 121
 in heavy ion collisions, 656
 in hypernuclei, 61
 and optical model, 351
 in transfer reactions, 467
- Perey–Buck potential, 372
- Perey effect, 346, 486
- Peripheral collisions, 767
 momentum distribution, 771
- Phase shift analysis, 357, 912
 angular distribution, 357
 cross section, 359
 polarization, 359
 spin rotation, 360
 s-wave effective range, 912
- Phase space, 645
- Physical optics, 56
- Pickup, 17, 523. *See also* Transfer reactions
- Pion, 16, 58, 806
- Pion-nucleon system, 806
 isospin symmetry, 806
 scattering, 809
 scattering amplitude, 818
 scattering length, 810
 scattering volume, 810
- Pion-nucleus system, 818
 absorption, 830
 doorway state, 833
 inelastic scattering, 840
 Kisslinger potential, 822
 Lorentz–Lorenz effect, 823
 optical model, 825, 851
 rescattering, 831
 resonance region, 826
 single and double charge exchange, 848
- Poisson distribution of energy level spacing, 287
- Polarization in (*d, p*) reaction, 458, 482
 in elastic scattering, 359
 in nucleon-nucleus scattering, 747, 763
 Schwinger scattering, 400
 in statistical theory of reactions, 301
- Porter–Thomas distribution of widths, 294, 302
- Post-prior representation, 473
- Potentials, local and nonlocal, 99, 339
 angular momentum-dependent, 355
 energy and momentum-dependent, 340
 scalar, vector and tensor, 752
 surface absorption, 365
- Potential scattering, *see* Prompt amplitude
- Precompound reactions, 506, 526, 572
- Pre-equilibrium, *see* Precompound reactions
- Pressure tensor, 652
- Profile function, 116
- Projection operators
 and antisymmetrization, 195
 for transfer reactions, 469
- Prompt amplitude, 195, 236
 interference with resonance, 235
 separation from fluctuating amplitude, 250
- Proton-⁴He elastic scattering, 132, 755
- Proton-nucleus scattering, high energy, 682, 740
 induced reactions, 759
 polarization, 747
 ultra-relativistic collisions, 782
- Proton-proton collisions at ultra-relativistic energies, 792
- (*p, 2p*), 764
- Pseudo rapidity, 791
- Quantum chromodynamics, 861
- Quantum transport, 653
- Quark-gluon plasma, 801
- Quarks, 860

- Quasi-elastic scattering, 134, 566, 591, 680
 for electrons, 724
 for heavy ions, 602
 longitudinal and transverse cross sections, 727
 ($p, 2p$), 764
 scaling, 727
- Q -value, 10
 window, 605
- Radiative tail, 681
- Radii, nuclear, rms from electron scattering, 699, 705
- Random phase hypothesis
 for multistep reactions, 527
 for statistical theory of reactions, 298
- Rapidity, 788
- Reactance matrix, 169, 909
 eigenvalues of, 170
 and the S -matrix, 170, 210
- Reaction formalisms
 Bloch, Mahaux, and Weidenmüller, 224
 boundary condition model, 226
 formal theory, 149
 invariance of, 209
 Kapur and Peierls, 213
 microscopic theory, 221
 \mathcal{R} -matrix, 215, 229
 \mathcal{L} -matrix, 219
 statistical theory, 231
- Reaction probability/time, 907
- Reactions, angular distribution, 231
- Reference level, 279
- Regeneration, 865
- Relativistic heavy ions, 767
 central collision, 781
 peripheral collisions, 767
- Relativistic impulse approximation, 751
- Relativistic optical model, 387, 752
- Rescattering, 831
- Resonances
 compound nucleus, 161, 231
 doorway state, 179
 giant, 179
 heavy ion, 241, 613
 interference with the prompt amplitude, 235
 isolated, 234
 overlapping, 248
 single particle, 192
 width, 156, 163
 Δ -hole, 803
- Resonance scattering of light by atoms, 151
- Response functions, 726, 730, 735, 766
 \mathcal{R} -matrix theory, 215
- Rotational nuclei, level density for, 275
 inelastic scattering by, 417, 518
- RPA, 658
- Saddle point, in fission, 575
- Saturation, 437
- Scaling, 727
- Scattering
 deuteron, 488
 elastic, 333
 electron, 684
 inelastic, 407, 756
 intermediate energies, 371
 low energy, 360
 pion, 825, 851
 proton, 132, 333, 682, 740, 755, 788
- Scattering amplitude, 908
- Scattering length, 361, 810
 dependence on potential strength, 880
 volume 810
- Schwinger polarization scattering, 400
- Selection rules and symmetry, 34
- Semi-classical approximation, 103
 elastic scattering, 107
 in heavy ion reactions, 613
- Semi-infinite slabs, collision of, 664
- Sharp cutoff model, 583
- Single charge exchange (SCX), 16, 804
- Single channel optical model, 336, 911
- Single-channel scattering, 907
- Single-particle resonance
 effect on fine structure, 192
 states in hypernuclei, 904
- Single-step reactions, 22, 31
 for transfer reactions, 464
- S -matrix, 164, 167, 209, 908
 average, 186
 for non-Hermitian Hamiltonian, 910
 and the reactance matrix, 170
- S -matrix reaction theory, 219
- Source term method, 523
- Space-time symmetries, 7
- Spacing of energy levels, 286
 Poisson distribution, 287
 Wigner distribution, 287
 Wishart distribution, 292
- Specificity and direct reactions, 40
 and symmetry, 61
 and transfer reactions, 455
- Spectator, 74
 approximation in transfer reactions, 476
 in heavy ion collisions, 657
- Spectroscopic factor, 53, 460, 479, 737
- Spin cutoff, 274, 280

- Spin density, 844
 Spin flux tensor, 844
 Spin one, 849
 Spin-orbit coupling scheme, 232, 511
 Spin-orbit interaction, 435
 Λ -nucleon, 61
 optical model, 349, 379
 Spin rotation, 360, 395, 747
 Spreading potential, 833
 Spreading width, 38, 182
 Square well, 108
 Static limit in inelastic pion scattering, 843
 Statistical theory of
 compound nuclear reactions, 24, 296
 doorway state reactions, 34
 multistep reactions, 39, 505
 Statistical theory of reactions, 296
 angular distribution, 300
 applications, 321
 effect of direct reactions, 314
 Hauser-Feshbach theory, 30, 319
 isotropy, 301
 polarization, 301
 random phase hypothesis, 298
 Strangeness, *see also* Hypercharge
 conservation, 861
 current, 63
 exchange of, 805, 893
 Strength function, 189, 362, 369
 Stretched configuration, 720
 Stripping, 17, 52, 463. *See also* Transfer reactions
 of heavy particles, 431
 Strong focusing angular distribution, 591
 Sub-barrier fusion, 587
 Sum rule, 82
 Superdeformation, 558, 627
 Superfluous states, 198, 204
 in transfer reactions, 468
 Surface reactions, 50, 455
 absorption, 58
 $SU(3)$, 64
 analog states, 64
 symmetry, 860
 Symmetry and specificity, 61
 breaking, 64, 400, 862
 and selection rules, 61
 space time, 7, 61
 Tassie parametrization, 761
 Temperature, nuclear, 26, 261, 325
 and excitation energy, 266
 in heavy ion collisions, 652
 Tensor interaction, 379, 435
 Three-body model, 494
 Three-body forces, 756
 Threshold behavior of cross sections, 242
 Thrust, 786
 Time delay, 22, 165. *See also* Interaction time
 Time-dependent Hartree-Fock (TDHF), 658
 adiabatic limit, 662
 clutching model, 667
 collision of semi-infinite slabs, 664
 conservation, 660
 initial conditions, 663
 two-dimensional frozen approximation, 670
 Time reversal, 7, 920
 Time scale in heavy ion reactions, 573
 \mathcal{T} -matrix, 907
 Transfer reactions, 455
 antisymmetry, 466
 applications, 475
 DWA amplitude, 463
 overlap, 466, 482
 three-body model, 494
 zero range approximation, 485
 Transition axial vector current, 62
 charge density, 48, 709
 density, 758
 multipole moment, 49
 probability per unit time, 907
 spin operator, 816
 Transmission factor, 186, 243, 306, 338, 367, 912
 Transverse cross section, 727
 Two-body potential, effective, 376
 Two-body random Hamiltonian ensemble, 287
 Two-body transfer, 17, 455. *See also* Transfer reactions
 Two-dimensional frozen approximation, 670
 Two potential theorem, 165
 Two-step reactions, 505
 Ultra-relativistic energies, 787
 Unitarity, 107, 167
 Vibrational nuclei, inelastic scattering by, 417, 518
 Watanabe potential, 496
 Weiszäcker-Williams method
 electromagnetic, 49, 557
 nuclear, 772, 780
 Widths, 242
 of doorway state, 36
 effect of fluctuations, 311, 330
 partial, 163
 Porter-Thomas distribution, 294
 of a resonance, 156
 χ^2 distribution, 286, 296

- Wigner distribution of energy level spacings, 287
function, 653
- Wilczyński plot, 592
- Wine-bottle shape, 395
- Wishart distribution of energy level spacings, 292
- Wolfenstein parameters, 133, 743
- Woods–Saxon potential, 356
- Yrast line, 274
- Zero momentum transfer, 895
- Zero range approximation, 485
- Δ , 58, 803
- Δ -hole state, 58, 803, 833
- η meson, 860
- Λ baryon, 860
hypernuclei, 905
nucleon interaction, 862
nucleon spin orbit interaction, 61
resonances, 865
- Ξ baryon, 860
- ρ meson, 1
change in mass, 885
- Σ baryon, 860
hypernuclei, 905
resonances, 866